

# hAPOC3

<b>Nomenclature</b>	C57BL/6Smoc- <i>Apoc3</i> <sup>em1(hAPOC3)Smoc</sup>
<b>Cat. NO.</b>	NM-HU-225050
<b>Strain State</b>	Repository Live

## Gene Summary


<b>Gene Symbol</b> <b>Apoc3</b>	<b>Synonyms</b>	apo-CIII; apoC-III
	<b>NCBI ID</b>	<a href="#">11814</a>
	<b>MGI ID</b>	<a href="#">88055</a>
	<b>Ensembl ID</b>	<a href="#">ENSMUSG00000032081</a>
	<b>Human Ortholog</b>	APOC3

## Model Description

The endogenous mouse Apoc3 gene was replaced by human APOC3 gene.


\*Literature published using this strain should indicate: hAPOC3 mice (Cat. NO. NM-HU-225050) were purchased from Shanghai Model Organisms Center, Inc..

## Validation Data




**Fig1. Detection of APOC3 expression in liver by RT-PCR.**

Wild type: only one band at 196 bp with primers F1/R1(mApoc3); Homozygous: only one band at 219 bp with primers F2/R2(hAPOC3). Abbr. M, DNA marker; HO, homozygous; HE, heterozygous; WT, wild type.



**Fig2. Detection of species-specific APOC3 expression in serum by ELISA.**

Abbr. HO, homozygous; HE, heterozygous; WT, wild type.



**Fig3. Monitoring of blood lipids levels in hAPOC3 mice (n=3 female and 3 male).**

Abbr. Hom, homozygous; WT, wild type.